



PRAIRIE MOON NURSERY®

SEED RACK PROGRAM

orders@prairiemoon.com

Toll Free / 866-417-8156

Local / 507-452-1362

Thank you for your interest in carrying Prairie Moon Nursery seed. We are proud to have Garden Centers, Gift Shops, Food Co-ops, and others offer our seeds, sharing our passion for these amazing species and their critical role in our ecosystem. In choosing Prairie Moon Nursery, you receive high quality seed, incredible species diversity, and excellent customer service.

SEED RACK PROGRAM MEMBERS RECEIVE A

40% DISCOUNT

ON ALL PACKETS AND COLLECTIONS.

Initial orders require a minimum of 200 packets from 10 or more species or a minimum 50 seed packet collections.



SEED PACKETS

3.25" x 4.5"

\$3.50 retail • **\$2.10 your cost**



COLLECTIONS (includes 6 packets)

4.63" x 6.87"

\$24.00 retail • **\$14.40 your cost**



RETAIL RACK WHOLESALE AGREEMENT:

- * Your business or organization must be a public venue where Prairie Moon Nursery can receive return exposure (i.e., Garden Center, Co-op, Gift Shop, etc.).
- * November will mark the beginning of a new harvest, meaning packets will be marked with the proceeding calendar year.
- * We charge a shipping fee for your 1st order of the year. Refill orders receive free shipping throughout the year (January - end of October).
- * Packets can be priced to your specifications, but we ask you do not price lower than our retail prices.
- * Seed Packets are labeled for the current year & cannot be returned.
- * Seeds must remain in our packaging.
- * To help your customers understand native seed germination techniques, we can provide our Seed Starting pamphlets free of charge.
- * Seed racks are not provided, but we hope to have some available for rent in the future.

Please send us a photo of your Prairie Moon Nursery seed rack display or tag us on:



@prairiemoonnrsy



@prairiemoonnrsy



@prairiemoonnursery

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	*Actaea	pachypoda	Doll's Eyes	50	F	Med			●	2ft	May-Jun	White
	Agastache	foeniculum	Anise Hyssop	1000	C(30),D	Med to Med-Dry	☀	☀		3ft	Jun-Sep	Purple
	Agastache	scrophulariifolia	Purple Giant Hyssop	1000	C(60),D	Med-Wet to Med-Dry	☀	☀		6ft	Jul-Oct	Purple
	Ageratina	altissima	White Snakeroot	500	C(60),D	Med-Wet to Med-Dry		☀	●	2ft	Jul-Oct	White
	*Allium	canadense	Wild Garlic	15	C(60)	Med-Wet to Dry	☀	☀	●	18in	May-Jul	Pink
	Allium	cernuum	Nodding Onion	300	C(60)	Med-Wet to Med-Dry	☀	☀		18in	Jul-Aug	Purple
	Allium	stellatum	Prairie Onion	200	C(60)	Med to Dry	☀	☀		14in	Jul-Aug	Purple
	Allium	triccum	Wild Leek	30	E,?	Med-Wet to Med-Dry		☀	●	8in	Jun-Jul	White
	Amorpha	canescens	Lead Plant	150	C(10),J,I	Med to Dry	☀	☀		3ft	Jun-Aug	Purple
	Amorpha	nana	Fragrant False Indigo	100	C(10),I	Med to Dry	☀			2ft	Jun-Aug	Purple
	Amsonia	illustris	Ozark Bluestar	60	C(60)	Med-Wet to Med-Dry	☀	☀		3ft	Apr-May	Blue
	Amsonia	tabernaemontana	Eastern Bluestar	25	C(60)	Med-Wet to Med	☀	☀		3ft	Apr-Jun	Blue
	Anaphalis	margaritacea	Pearly Everlasting	300	C(30)	Med-Dry to Dry	☀	☀		2ft	Jun-Sep	White
	Andropogon	gerardii	Big Bluestem	500	A	Med-Wet to Dry	☀	☀		7ft	Jun-Sep	
	Anemone	canadensis	Canada Anemone	200	F	Med-Wet to Med	☀	☀		1ft	May-Jun	White
	Anemone	patens var. wolfgangiana	Pasque Flower	100	M	Med-Dry to Dry	☀	☀		6in	Apr-May	Purple
	Anemone	virginiana	Tall Thimbleweed	100	C(60)	Med-Dry to Dry	☀	☀	●	3ft	June-Aug	White
	Antennaria	neglecta	Prairie Pussytoes	300	C(60),D	Med to Dry	☀	☀		1ft	Apr-Jun	White
	Antennaria	plantaginifolia	Pussytoes	300	C(60),D	Med to Dry	☀	☀		1ft	Apr-Jun	White
	Aquilegia	canadensis	Columbine	250	C(60),M	Med to Dry	☀	☀	●	2ft	Apr-Jun	Red
	*Arisaema	triphillum	Jack-in-the-Pulpit	10	F,L	Med-Wet to Med-Dry		☀	●	2ft	Apr-Jul	Green
	Arnoglossum	atriplicifolium	Pale Indian Plantain	100	C(60)	Med to Med-Dry	☀	☀		7ft	Jul-Sep	White
	Artemisia	ludoviciana	Prairie Sage	1000	C(30),D	Med to Dry	☀	☀		3ft	July-Sep	Green
	*Asarum	canadense	Wild Ginger	40	L,E	Med-Wet to Med-Dry			●	6in	Apr-Jun	Red
	Asclepias	exaltata	Poke Milkweed	30	C(30)	Med-Wet to Med-Dry		☀	●	5ft	June July	White
	Asclepias	hirtella	Tall Green Milkweed	30	C(30)	Med-Wet to Dry	☀	☀		4ft	Jun-Aug	White
	Asclepias	incarnata	Rose Milkweed	100	C(30)	Wet to Med	☀	☀		4ft	Jun-Aug	Pink
	Asclepias	speciosa	Showy Milkweed	55	C(30)	Med to Dry	☀			3ft	Jun-Aug	Pink
	Asclepias	sullivantii	Prairie Milkweed	55	C(30)	Med-Wet to Med	☀			3ft	Jun-Aug	Pink
	Asclepias	syriaca	Common Milkweed	150	C(30)	Med-Wet to Dry	☀	☀		3ft	Jun-Aug	Pink
	Asclepias	tuberosa	Butterfly Weed	100	C(30)	Med to Dry	☀	☀		2ft	June-Aug	Orange
	Asclepias	verticillata	Whorled Milkweed	100	C(30)	Med to Dry	☀	☀		2ft	Jul-Sep	White
	Asclepias	viridis	Spider Milkweed	30	C(30)	Med-Dry to Dry	☀	☀		1ft	May-Jun	Green

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Astragalus crassicaupus		Ground Plum	75	C(10),H,I	Med-Dry to Dry				1ft	May -Jun	Purple
	Baptisia alba		White Wild Indigo	75	C(10),H,I	Med-Wet to Dry				4ft	Jun-Jul	White
	Baptisia australis		Blue Wild Indigo	75	C(10),H,I	Med-Wet to Med				4ft	May-Jul	Blue
	Baptisia bracteata		Cream Wild Indigo	10	C(10),H,I	Med to Dry				2ft	May-Jun	Cream
	Baptisia sphaerocarpa		Large Yellow Wild Indigo	10	C(10),H,I	Med to Dry				3ft	Jun-Jul	Yellow
	Baptisia tinctoria		Small Yellow Wild Indigo	75	C(10),H,I	Med-Wet to Dry				2ft	Jun-Aug	Yellow
	Blephilia ciliata		Downy Wood Mint	1000	C(60)	Med to Dry				1ft	Jun-Jul	Purple
	Blephilia hirsuta		Hairy Wood Mint	1000	C(60)	Med-Wet to Med				3ft	June-Sep	White
	Boltonia asteroides		False Aster	2000	C(60),D	Wet to Med				4ft	Aug-Oct	White
	Bouteloua curtipendula		Side-oats Grama	300	A	Med to Dry				2ft	Aug-Sep	
	Bouteloua gracilis		Blue Grama	500	A	Med-Dry to Dry				1ft	Jul-Sep	
	Callirhoe bushii		Bush's Poppy Mallow	30	B,C(30)	Med to Dry				2ft	Jun-Aug	Pink
	Callirhoe involucrata		Purple Poppy Mallow	25	B,C(30)	Med-Dry to Dry				6in	Jun-Aug	Pink
	Callirhoe triangulata		ClusteRed Poppy Mallow	50	B,C(60)	Med-Dry to Dry				1ft	Jul-Sep	Pink
	*Caltha palustris		Marsh Marigold	40	C(60)	Wet to Med-Wet				2ft	Apr-Jun	Yellow
	Camassia scilloides		Wild Hyacinth	40	M	Med-Wet to Med-Dry				2ft	May-Jun	Blue
	Campanula americana		Tall Bellflower	1000	C(30)	Med-Wet to Med-Dry				5ft	Jul-Oct	Blue
	Campanula rotundifolia		Harebell	500	C(30),D	Med-Dry to Dry				1ft	Jun-Sep	Purple
	Carex blanda		Common Wood Sedge	100	C(60)	Wet to Med-Dry				1ft	May-Jun	
	Carex eburnea		Ivory Sedge	50	C(60),M	Dry				6in	May-Jun	
	Carex muskingumensis		Palm Sedge	75	A	Med-Wet to Med-Dry				3ft	Jul	
	Carex pensylvanica		Pennsylvania Sedge	30	C(60)	Med to Dry				8in	Apr-Jun	
	*Carex radiata		Eastern Star Sedge	200	C(60)	Med-Wet to Med				1ft	Jun	
	*Carex rosea		Curly-styled Wood Sedge	75	C(60)	Med-Wet to Dry				1ft	Jun	
	Castilleja coccinea		Indian Paintbrush	300	C(60),D,K	Med-Wet to Med-Dry				2ft	May-Jun	Red
	*Caulophyllum thalictroides		Blue Cohosh	5	M	Med-Wet to Med				2ft	Apr-May	Green
	Ceanothus americanus		New Jersey Tea	75	B and C(60)	Med to Dry				3ft	Jun-Aug	White
	Cephalanthus occidentalis		Buttonbush	150	A	Wet to Med-Wet				12ft	Jun-Aug	White
	Chamaecrista fasciculata		Partridge Pea	250	C(10),H,I	Med to Dry				2ft	Jul-Sep	Yellow
	Chamaenerion angustifolium		Fireweed	500	C(60),D	Med-Wet to Med-Dry				4ft	Jul-Aug	Pink
	Chasmanthium latifolium		River Oats	75	C(60)	Med-Wet to Med				3ft	Jul-Sep	
	Chelone glabra		Turtlehead	300	C(90),M	Wet to Med-Wet				5ft	Jul-Sep	Cream
	Cimicifuga racemosa		Black Cohosh	75	E,L	Med-Wet to Med				7ft	May-Sep	White

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Cirsium discolor		Pasture Thistle	50	C(60)	Med to Med-Dry				6ft	Aug-Oct	Purple
	*Claytonia virginica		Spring Beauty	75	E,L	Wet to Med				5in	Apr-Jun	Pink
	Clematis occidentalis var. occidentalis		Purple Clematis	10	C(90)	Med to Med-Dry				6ft	May-Jul	Purple
	Clematis virginiana		Virgin's Bower	200	C(30),M	Med-Wet to Med				9ft	Jul-Sep	White
	Conoclinium coelestinum		Mistflower	500	C(60),D	Med-Wet to Med-Dry				2ft	Sep-Oct	Blue
	Coreopsis lanceolata		Lance-leaf Coreopsis	250	C(30)	Med-Dry to Dry				2ft	May-Aug	Yellow
	Coreopsis palmata		Prairie Coreopsis	200	C(60),M	Med to Dry				2ft	Jun-Aug	Yellow
	Coreopsis tripteris		Tall Coreopsis	200	C(60)	Med-Wet to Med-Dry				7ft	Jul-Oct	Yellow
	Cornus amomum subsp. obliqua		Silky Dogwood	10	M	Wet to Med				10ft	Jun-Jul	White
	Corydalis sempervirens		Pale Corydalis	50	C(30)	Med-Dry to Dry				3ft	May-Sep	Pink
	Dalea candida		White Prairie Clover	750	A,I,J	Med to Dry				2ft	Jun-Sep	White
	Dalea purpurea		Purple Prairie Clover	750	A,I,J	Med to Dry				2ft	Jul-Sep	Purple
	Danthonia spicata		Poverty Oat Grass	100	A	Med-Dry to Dry				1ft	May-Jul	
	Delphinium exaltatum		Tall LarksPurple	100	C(60)	Med to Med-Dry				4ft	Jul-Aug	Purple
	Desmodium canadense		Showy Tick Trefoil	250	A,I,J	Med-Wet to Med-Dry				5ft	Jul-Aug	Purple
	*Dicentra cucullaria		Dutchman's Breeches	60	L,E	Med-Wet to Med				1ft	Apr-May	White
	Dodecatheon amethystinum		Amethyst Shooting Star	100	C(60),D,G	Med-Wet to Med-Dry				1ft	Apr-May	Purple
	Dodecatheon meadia		Midland Shooting Star	200	C(21),D,G	Med-Wet to Med-Dry				1ft	Apr-Jun	Pink
	Echinacea angustifolia		Narrow-leaved Coneflower	200	C(90),M	Med-Dry to Dry				2ft	Jun-Jul	Pink
	Echinacea pallida		Pale Purple Coneflower	200	C(90),M	Med to Dry				3ft	Jun-Jul	Pink
	Echinacea paradoxa		Bush's Coneflower	100	C(60)	Med to Dry				3ft	Jun-Aug	Yellow
	Echinacea purpurea		Purple Coneflower	300	A	Med-Wet to Med-Dry				4ft	Jul-Sep	Purple
	Echinacea tennesseensis		Tennessee Coneflower	80	C(60)	Med-Dry to Dry				2ft	Jul-Sep	Purple
	Eragrostis spectabilis		Purple Love Grass	500	A,D	Dry				2ft	Jul-Aug	
	Erigeron pulchellus		Robin's Plantain	300	C(60)	Med-Dry to Dry				1ft	May-Jun	White
	Eryngium yuccifolium		Rattlesnake Master	250	C(60)	Med-Wet to Med-Dry				4ft	Jul-Sep	White
	Eupatorium perfoliatum		Boneset	750	C(30),D	Wet to Med-Wet				4ft	Jul-Sep	White
	Eurybia macrophylla		Big-leaved Aster	75	C(60)	Med-Wet to Dry				1ft	Aug-Oct	White
	Euthamia graminifolia		Grass-leaved Goldenrod	1000	C(60),D	Wet to Med-Dry				4ft	Jul-Sep	Yellow
	Eutrochium fistulosum		Hollow Joe Pye Weed	200	C(60)	Wet to Med-Wet				6ft	Jul-Sep	Purple
	Eutrochium maculatum		Joe Pye Weed	400	C(30),D	Wet to Med-Wet				5ft	Jul-Sep	Pink
	Eutrochium purpureum		Sweet Joe Pye Weed	400	C(30),G	Med-Wet to Med-Dry				7ft	Jul-Sep	Pink
	Filipendula rubra		Queen of the Prairie	75	C(90)	Wet to Med-Wet				5ft	Jun-Aug	Pink
	Fragaria virginiana		Wild Strawberry	60	C(60)	Med-Wet to Dry				6in	Apr-Jun	White

*This species should be refrigerated until sold.

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Gentiana andrewsii		Bottle Gentian	750	C(60),D	Med-Wet to Med				2ft	Aug-Oct	Blue
	Gentianella quinquefolia		Stiff Gentian	400	C(60),D	Med-Wet to Med-Dry				2ft	Aug-Oct	Purple
	*Gentianopsis crinita		Fringed Gentian	200	C(60),D	Wet to Med-Wet				1ft	Aug-Oct	Blue
	Geranium maculatum		Wild Geranium	45	C(60),M	Med to Med-Dry				1ft	Apr-Jul	Purple
	*Geum triflorum		Prairie Smoke	80	C(60), M	Med-Wet to Dry				8in	Apr-Jun	Red
	Helenium autumnale		Sneezeweed	500	A,D	Wet to Med-Wet				4ft	Aug-Oct	Yellow
	Helianthus giganteus		Tall Sunflower	100	C(30)	Med-Wet to Med				8ft	Jul-Sep	Yellow
	Helianthus maximiliani		Maximilian's Sunflower	300	C(30)	Med-Wet to Med-Dry				7ft	Aug-Sep	Yellow
	Helianthus occidentalis		Western Sunflower	100	C(30)	Med to Dry				3ft	Jul-Sep	Yellow
	Helianthus pauciflorus		Showy Sunflower	100	C(30)	Med-Dry to Dry				5ft	Jul-Sep	Yellow
	Heliopsis helianthoides		Early Sunflower	200	C(30)	Med-Wet to Med-Dry				5ft	Jun-Sep	Yellow
	Hepatica acutiloba		Sharp-lobed Hepatica	20	F,L	Med to Med-Dry				8in	Apr-May	White
	Hibiscus laevis		Rose Mallow	75	C(60)	Wet to Med-Wet				5ft	Jul-Sep	Pink
	Hibiscus moscheutos		Swamp Rose Mallow	75	C(60)	Wet to Med-Wet				5ft	Jul-Sep	White
	Hierochloe odorata		Sweet Grass	50	C(30)	Wet to Med				2ft	May-Jul	
	*Hydrophyllum virginianum		Virginia Waterleaf	50	C(60)	Med-Wet to Med				2ft	May-Jun	Purple
	Hypericum prolificum		Shrubby St. John's Wort	500	A,D	Med-Wet to Med-Dry				4ft	Jul-Sep	Yellow
	*Impatiens capensis		Spotted Touch-me-not	30	F,L,M,?	Wet to Med				4ft	Jul-Sep	Orange
	Impatiens pallida		Yellow Jewelweed	20	F,L,M,?	Wet to Med				4ft	Jul- Oct	Yellow
	Iris versicolor		Northern Blue Flag	30	C(120),M	Wet to Med				3ft	May-Jul	Blue
	*Isopyrum biternatum		False Rue Anemone	30	C(60)?	Med-Wet to Med				6in	Apr-Jun	White
	*Jeffersonia diphylla		Twinleaf	10	F,L	Med				1ft	Apr-May	White
	Koeleria macrantha		June Grass	1000	A,D,G	Med-Dry to Dry				2ft	Jun-Jul	
	Liatris aspera		Button Blazing Star	100	C(60)	Med to Dry				3ft	Jul-Oct	Purple
	Liatris cylindracea		Dwarf Blazing Star	75	C(60)	Med-Dry to Dry				1ft	Jul-Oct	Purple
	Liatris ligulistylis		Meadow Blazing Star	100	C(60)	Med-Wet to Med-Dry				5ft	Aug-Sep	Purple
	Liatris punctata		Dotted Blazing Star	50	C(30)	Med-Dry to Dry				2ft	Jul-Sep	Purple
	Liatris pycnostachya		Prairie Blazing Star	150	C(60)	Wet to Med				4ft	Jul-Sep	Purple
	Liatris scariosa var. nieuwlandii		Northern Blazing Star	100	C(60)	Med to Dry				3ft	Aug-Sep	Purple
	Liatris spicata		Dense Blazing Star	150	C(60)	Wet to Med				5ft	Jul-Sep	Purple
	Lilium michiganense		Michigan Lily	30	E	Wet to Med				5ft	Jun-Aug	Orange
	Lilium philadelphicum		Prairie Lily	25	C(60)	Med-Wet to Med-Dry				2ft	Jul-Aug	Orange
	Linaria canadensis		Blue Toadflax	750	A	Dry				2ft	May-Aug	Blue
	Lobelia cardinalis		Cardinal Flower	750	C(60),D	Wet to Med-Wet				4ft	Jul-Sep	Red

*This species should be refrigerated until sold.

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Lobelia siphilitica		Great Blue Lobelia	1000	C(60),D	Wet to Med				3ft	Jul-Oct	Blue
	Lobelia spicata		Pale Spiked Lobelia	750	C(60),D	Med-Wet to Med-Dry				2ft	May-Aug	Purple
	Lupinus perennis subsp. perennis		Sundial Lupine	40	C(10),H,I	Med-Dry to Dry				2ft	May-Jul	Purple
	Maianthemum stellatum		Starry Solomon's Plume	15	F,L	Med-Wet to Dry				2ft	Apr-Jun	White
	Mentha arvensis		Wild Mint	500	A,D	Wet to Med				2ft	July-Sep	White
	*Mertensia virginica		Virginia Bluebells	75	C(60),M	Med-Wet to Med				2ft	Apr-May	Blue
	Mitella diphylla		Bishop's Cap	100	L,M	Med-Wet to Med-Dry				1ft	Apr-Jun	White
	Monarda bradburiana		Bradbury's Monarda	100	C(60)	Med to Med-Dry				2ft	Jun-Jul	Pink
	Monarda fistulosa		Wild Bergamot	500	A	Med-Wet to Dry				4ft	Jul-Sep	Purple
	Monarda punctata		Spotted Bee Balm	500	A,D	Med-Dry to Dry				2ft	Jul-Sep	Purple
	Nelumbo lutea		American Lotus	3	O	Wet				6ft	Jul-Sep	White
	Oenothera biennis		Common Evening Primrose	750	A,D,G	Med-Wet to Dry				6ft	June-Nov	Yellow
	Oligoneuron rigidum		Stiff Goldenrod	1000	C(60)	Med-Wet to Dry				4ft	Aug-Oct	Yellow
	Opuntia humifusa		Eastern Prickly Pear	20	A	Dry				6in	Jun-Jul	Yellow
	*Oxalis violacea		Violet Wood Sorrel	100	C(60),M	Med-Dry to Dry				4in	Apr-Jun	Purple
	Packera aurea		Golden Ragwort	150	C(60)	Wet to Med				2ft	May-Jun	Yellow
	Panicum virgatum		Switch Grass	500	A	Med-Wet to Dry				4ft	Jul-Sep	
	Passiflora incarnata		Purple Passion Flower	10	C(60)	Med-Wet to Med-Dry				20ft	Jun-Oct	Purple
	Pedicularis canadensis		Wood Betony	75	C(30),K	Med-Wet to Dry				1ft	Apr-May	Yellow
	Pedimelum esculentum		Prairie Turnip	10	B,H,I	Med-Dry to Dry				1ft	May-Jul	Blue
	Penstemon calycosus		Calico Beardtongue	500	C(30),G	Med-Wet to Med				3ft	Jun-Jul	Pink
	Penstemon digitalis		Foxglove Beardtongue	1000	C(30)	Med to Med-Dry				4ft	Jun-Jul	White
	Penstemon grandiflorus		Lg Flowered Beardtongue	300	C(30),G	Med-Dry to Dry				2ft	May-Jun	Purple
	Penstemon hirsutus		Hairy Beardtongue	1000	C(60), D	Med-Wet to Dry				18in	May-Jun	Purple
	*Phlox divaricata		Wild Blue Phlox	25	C(60)	Med-Wet to Med-Dry				1ft	Apr-Jun	Blue
	*Phlox maculata		Wild Sweet William	75	C(60)	Med-Wet to Med				3ft	Jun-Aug	Pink
	*Phlox pilosa		Prairie Phlox	75	C(60),M	Med-Wet to Dry				2ft	May-Jul	Pink
	Physostegia virginiana		Obedient Plant	200	C(60)	Wet to Med				4ft	Aug-Sep	Pink
	*Podophyllum peltatum		May Apple	10	C(90)	Med to Med-Dry				1ft	May-Jun	White
	Polemonium reptans		Jacob's Ladder	100	C(60)	Med-Wet to Med-Dry				1ft	Apr-Jun	Blue
	*Polygonatum biflorum		Solomon's Seal	30	F,L	Med to Med-Dry				4ft	May-Jun	Cream
	Pycnanthemum incanum		Hoary Mountain Mint	500	A, D	Med to Med-Dry				3ft	Jul-Sep	White
	Pycnanthemum muticum		ClusteRed Mountain Mint	150	A,D	Med to Med-Dry				3ft	Jul-Sep	Pink
	Pycnanthemum tenuifolium		Slender Mountain Mint	1000	A,D	Med-Wet to Med-Dry				2ft	Jun-Sep	White

ORDER QTY:	FORBS (Wildflowers)			SEEDS/PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Pycnanthemum vert. var. pilosum		Hairy Mountain Mint	1000	A,D	Med to Med-Dry				3ft	Jul-Aug	White
	Pycnanthemum virginianum		Mountain Mint	1000	A,D	Wet to Med-Dry				3ft	Jun-Sep	White
	Ratibida pinnata		Yellow Coneflower	1000	C(30)	Med to Med-Dry				5ft	Jul-Sep	Yellow
	Rosa carolina		Pasture Rose	75	F,H	Med-Wet to Dry				2ft	Jun-Aug	Pink
	Rudbeckia fulgida		Orange Coneflower	150	C(60)	Med-Wet to Med-Dry				3ft	Jul-Sep	Orange
	Rudbeckia hirta		Black-Eyed Susan	1000	C(30)	Med-Wet to Med-Dry				2ft	Jun-Oct	Yellow
	Rudbeckia laciniata		Wild Golden Glow	100	C(30)	Med-Wet to Med				7ft	Jul-Oct	Yellow
	Rudbeckia maxima		Great Coneflower	75	A	Med-Wet to Med				6ft	Jun-Jul	Yellow
	Rudbeckia subtomentosa		Sweet Black-eyed Susan	500	C(30)	Med-Wet to Med-Dry				5ft	Aug-Oct	Yellow
	Rudbeckia triloba		Brown-eyed Susan	750	C(30)	Med-Wet to Med-Dry				5ft	Aug-Oct	Yellow
	Ruellia humilis		Wild Petunia	100	C(60)	Med to Dry				1ft	Jun-Aug	Purple
	Salvia azurea		Blue Sage	40	A	Med to Dry				5ft	Aug-Oct	Blue
	*Sanguinaria canadensis		Bloodroot	20	F,L	Med-Wet to Med-Dry				6in	Apr-May	White
	Schizachyrium scoparium		Little Bluestem	500	A	Med to Dry				3ft	Jul-Oct	
	Scrophularia lanceolata		Early Figwort	750	C(60), D	Med-Wet to Dry				5ft	May-Jul	Red
	Scutellaria incana		Hoary Skullcap	100	C(60)	Med to Med-Dry				3ft	Jun-Sep	Blue
	Senna hebecarpa		Wild Senna	100	C(10),H,I	Med-Wet to Med				5ft	Jul-Aug	Yellow
	Silene regia		Royal Catchfly	100	C(60)	Med to Med-Dry				4ft	Jul-Aug	Red
	Silphium laciniatum		Compass Plant	50	C(60)	Med-Wet to Dry				8ft	Jun-Sep	Yellow
	Silphium perfoliatum		Cup Plant	75	C(60)	Med-Wet to Med				8ft	Jul-Sep	Yellow
	Sisyrinchium angustifolium		Stout Blue-eyed Grass	75	C(60)	Med-Wet to Med-Dry				6in	May-Jun	Blue
	Sisyrinchium campestre		Prairie Blue-eyed Grass	75	C(60),G,M	Med-Dry to Dry				6in	May-Jun	Blue
	Solidago caesia		Blue-stemmed Goldenrod	500	C(60),D	Med to Med-Dry				3ft	Aug-Oct	Yellow
	Solidago flexicaulis		Zig Zag Goldenrod	100	C(60),D	Med-Wet to Med-Dry				3ft	Aug-Oct	Yellow
	Solidago odora		Sweet Goldenrod	750	C(60),D	Med to Dry				3ft	Aug-Sep	Yellow
	Solidago speciosa		Showy Goldenrod	1000	C(60),D	Med to Dry				5ft	Sep-Nov	Yellow
	Sorghastrum nutans		Indian Grass	500	A	Med to Dry				6ft	Aug-Sep	
	Spigelia marilandica		Indian Pink	20	C(90), M	Med to Med-Dry				2ft	May-Jul	Red
	Spiraea tomentosa		Steeplebush	1000	C(60),D	Wet to Med-Wet				4ft	Jul-Sep	Pink
	Sporobolus heterolepis		Prairie Dropseed	300	A	Med-Wet to Dry				2ft	Aug-Oct	
	*Stylophorum diphylllum		Celandine Poppy	40	L,E	Med-Wet to Med-Dry				1ft	Apr-May	Yellow
	Symphotrichum cordifolium		Heart-leaved Aster	500	C(60)	Med to Med-Dry				3ft	Sep-Oct	Blue
	Symphotrichum drummondii		Drummond's Aster	500	A	Med-Wet to Med-Dry				3ft	Sep-Oct	Purple
	Symphotrichum ericoides		Heath Aster	300	A,D	Med to Dry				2ft	Aug-Oct	White

*This species should be refrigerated until sold.

ORDER QTY:	FORBS (Wildflowers)			SEEDS/ PACKET:	GERM CODE	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Genus	species	Common Name									
	Symphyotrichum	laeve	Smooth Blue Aster	750	A	Med-Wet to Med-Dry				4ft	Aug-Oct	Blue
	Symphyotrichum	lateriflorum	Calico Aster	500	A	Med-Wet to Med-Dry				2ft	Aug-Oct	White
	Symphyotrichum	novae-angliae	New England Aster	500	C(60)	Wet to Med-Dry				5ft	Aug-Oct	Purple
	Symphyotrichum	oblongifolium	Aromatic Aster	200	A	Med-Dry to Dry				2ft	Aug-Nov	Purple
	Symphyotrichum	oolentangiense	Sky Blue Aster	500	A,G	Med to Dry				3ft	Aug-Oct	Blue
	Symphyotrichum	shortii	Short's Aster	200	C(30)	Med to Med-Dry				3ft	Aug-Oct	Blue
	Taenidia	integerrima	Yellow Pimpernel	90	C(60),M	Med to Med-Dry				3ft	May-Jul	Yellow
	Tephrosia	virginiana	Goat's Rue	30	C(10),H,I	Med to Dry				1ft	Jun-Jul	Yellow
	*Thalictrum	dioicum	Early Meadow Rue	100	C(60)	Med-Wet to Med-Dry				2ft	Apr-May	Green
	Thermopsis	caroliniana	Blue-Ridge Buckbean	30	A,H,I	Med to Dry				4ft	May-Jun	Yellow
	Tradescantia	ohiensis	Ohio Spiderwort	150	C(120)/M,G	Med-Wet to Dry				3ft	May-Jul	Blue
	*Trillium	cernuum	Nodding Trillium	10	F,L	Wet to Med				18in	May-Jun	White
	Trillium	grandiflorum	Large-Flowered Trillium	20	F,L	Med-Wet to Med				1ft	Apr-Jun	White
	*Uvularia	grandiflora	Bellwort	10	L,E	Med-Wet to Med-Dry				1ft	Apr-May	Yellow
	Verbena	hastata	Blue Vervain	750	C(30),D	Wet to Med				5ft	Jul-Sep	Blue
	Verbena	stricta	Hoary Vervain	750	C(60),D	Med-Dry to Dry				2ft	Jul-Sep	Blue
	Vernonia	fasciculata	Common Ironweed	500	C(60)	Med-Wet to Med				6ft	Jul-Sep	Purple
	Vernonia	gigantea	Tall Ironweed	400	C(60)	Med-Wet to Med				5ft	Aug-Oct	Purple
	Vernonia	missurica	Missouri Ironweed	250	C(60)	Med-Wet to Med-Dry				5ft	Jul-Oct	Purple
	Veronicastrum	virginicum	Culver's Root	2000	A,D	Med-Wet to Med-Dry				5ft	Jun-Aug	White
	*Viola	pedata	Bird's Foot Violet	25	C(60),D,M	Med to Dry				3in	Apr-Jun	Purple
	*Viola	pedatifida	Prairie Violet	100	C(60),M	Med to Med-Dry				6in	Apr-Jun	Purple
	*Viola	sororia	Common Blue Violet	50	C(60), M,	Med-Wet to Med-Dry				4in	Apr-Jun	Purple
	*Viola	sororia f. priceana	Bi-Colored Violet	30	C(60), M,	Med-Wet to Med-Dry				4in	Apr-Jun	White
	*Viola	striata	Cream Violet	25	M	Med-Wet to Med-Dry				5in	May-Jun	Cream
	Zizia	aptera	Heart-leaf Golden Alexanders	150	C(60),G,M	Med to Med-Dry				2ft	Apr-May	Yellow
	Zizia	aurea	Golden Alexanders	150	C(60),G,M	Med-Wet to Med-Dry				3ft	Apr-Jun	Yellow

TOTAL PRICE (TOTAL X \$2.10):

ORDER QUANTITY:	COLLECTION NAME	SOIL MOISTURE	SUN EXPOSURE			HT	BLOOM TIME	COLOR
	Beginner's Collection	Med to Med-Dry				2-4'	Jun-Oct	Purple, Yellow, Green
	New to Natives Collection	Med-Dry				2'	Jun-Oct	Orange, Pink White, Yellow
	Bird Benefit Collection	Med to Med-Dry				2-6'	Apr-Sep	Red, Yellow, Purple, White
	Boulevard Collection	Med-Dry to Dry				2'	May-Oct	Purple, Yellow, Green
	Deer Resistant Collection	Med to Med-Dry				3-8'	Jun-Oct	Purple, Yellow, White
	Living Fence Collection - Part Sun	Med-Wet to Med-Dry				3-7'	May-Oct	Purple, Yellow, White
	Living Fence Collection - Full Sun	Med				6-7'	Jun-Oct	Cream, Purple, Yellow
	Milkweed Collection	Wet to Dry				1-5'	May-Sep	Orange, Green, Pink, White
	Rain Garden Collection	Wet to Med-Wet				4-5'	Jul-Oct	Pink, Purple, Yellow
	Understory Collection	Med to Med-Dry				2'	Apr-Oct	Purple, Yellow, Red
	Spring Blooms Collection	Med-Dry				2-4'	Apr-Sep	Blue, Pink, Yellow, White, Red
	Fall Blooms Collection	Med to Med-Dry				2-5'	Jul-Nov	Purple, Yellow
Native Seed Starting Pamphlets - FREE								
Prairie Moon Nursery Catalog - FREE								
COLLECTIONS TOTAL (minimum 50):						TOTAL PRICE (TOTAL X \$14.40):		

GERMINATION CODES (SEED PRE-TREATMENTS) & INSTRUCTIONS

- | | | |
|--|---|---|
| A NO PRE-TREATMENT NECESSARY | F SEEDS NEED A COLD, MOIST PERIOD FOLLOWED BY A WARM, MOIST PERIOD FOLLOWED BY A 2ND COLD, MOIST PERIOD. | K HEMIPARASITIC SPECIES |
| B HOT WATER TREATMENT | | L PLANT FRESH SEED OR KEEP MOIST |
| C (#) STRATIFICATION NEEDED (# OF DAYS) | G SEEDS GERMINATE MOST SUCCESSFULLY IN COOL SOIL. | M BEST PLANTED OUTDOORS IN THE FALL |
| D SURFACE SOW | H NEEDS SCARIFICATION | O IMPERMEABLE SEED COAT, NEEDS NICKING |
| E SEEDS NEED A WARM, MOIST PERIOD FOLLOWED BY A COLD, MOIST PERIOD. | I LEGUME - INOCULANT AVAILABLE | ? UNSURE |
| | J DEHULLED | |